

SPORTEX

— GERMANY —



www.sports.sk
www.sportsrybarni.cz

CARP RODS

Technical specifications

Distribútor: Slovensko: +421 33 7782424 / Čechy: +420 773 149 334 / Morava: +420 773 149 230



Revolt Carp CS-2

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Rod's weight gr.	Guides
REVOLT CARP CS-2								
Revolt Carp CS-2 10" 3,00lbs	153302	300	10	2	157	2,75lbs.	279	6
Revolt Carp CS-2 10" 3,25lbs	153312	300	10	2	157	3,00lbs.	282	6
Revolt Carp CS-2 12" 2,75lbs	153278	360	12	2	188	2,75lbs.	356	6
Revolt Carp CS-2 12" 3,00lbs	153303	360	12	2	188	3,00lbs.	365	6
Revolt Carp CS-2 12" 3,25lbs	153326	360	12	2	188	3,25lbs.	392	6
Revolt Carp CS-2 12" 3,75lbs	153377	360	12	2	188	3,75lbs.	409	6
Revolt Carp CS-2 13" 3,75lbs	153378	390	13	2	203	3,75lbs.	443	6
REVOLT CARP CS-2 DISTANCE								
Revolt Carp CS-2 Distance 13" 3-5oz.	153380	390	13	2	203	3-5oz.	479	6

- Innovative seven-sided and robust Hepta-core blank made from Toray T800 carbon
- Outstanding loading and precise casting characteristics
- Stable American Tackle KW long-cast SIC guides
- Black-lacquered FUJI TVS reel seat with carbon hood
- 50mm starting guide – 40mm on 10ft models
- Split handle made from high-quality Duplon material



Graphenon Carp CS-2

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Rod's weight gr.	Guides
GRAPHENON CARP CS-2								
Graphenon C. CS-2 10ft 2,75lbs	119312	300	10	2	157	2,75lbs.	255	6
Graphenon C. CS-2 10ft 3,00lbs	119313	300	10	2	157	3,00lbs.	264	6
Graphenon C. CS-2 12ft 3,00lbs	119302	366	12	2	188	3,00lbs.	342	6
Graphenon C. CS-2 12ft 3,25lbs	119326	366	12	2	188	3,25lbs.	359	6
Graphenon C. CS-2 13ft 3,75lbs	119377	396	13	2	203	3,75lbs.	438	6

- Lightweight and powerful Helicore blank made of Toray High-
- Performance T1100 carbon
- Great power development when casting and during the fight
- FUJI KW SIC guides
- Handle reinforced with special Carbon Mesh from Toray
- Painted FUJI TVS reel seat
- Starting ring size 50 for 12ft. / 13ft. models - 10ft. Boat size 40
- With extra slim „full shrink“ handle



Beyond Carp CS-2

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Rod's weight gr.	Guides
BEYOND CARP CS-2								
Beyond Carp CS-2 10ft 3,25lbs	131315	300	10	2	157	3,25lbs.	289	6
Beyond Carp CS-2 12ft 3,00lbs	131301	366	12	2	188	3,00lbs.	342	6
Beyond Carp CS-2 12ft 3,25lbs	131326	366	12	2	188	3,25lbs.	375	6
Beyond Carp CS-2 13ft 3,75lbs	131376	396	13	2	203	3,75lbs.	455	6

- Innovative heptagonal and robust hepta-core blank made of Toray
- High-Performance T1100 Carbon
- Outstanding loading and precise casting properties
- Handle with special Carbon Mesh for even higher tensile strength
- FUJI KW SIC guides
- Specially designed aluminum DPS reel seat with Carbon hoods
- Start guide size 50 für 12ft. / 13ft. model - 10ft. Stalker size 40
- High-quality carbon design split handles



Escalade Carp

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Rod's weight gr.	Guides
ESCALADE CARP								
Escalade Carp 12ft 3,00lbs	161300	366	12	2	188	3,00lbs.	348	6
Escalade Carp 12ft 3,25lbs	161325	366	12	2	188	3,25lbs.	352	6
Escalade Carp 13ft 3,75lbs	161375	396	13	2	203	3,75lbs.	395	6
ESCALADE CARP DISTANCE								
Escalade Carp Distance 13ft 3-5oz.	161560	396	13	2	203	3-5 oz.	430	6

- Innovative Heptacore blank (heptagonal) made of T-1100 high-performance carbon
- • Extreme speed with excellent power delivery for incredible casting distance
- Significantly higher power reserves during fish fights
- Slim SIC KW-style guides (starting with a size 50 ring)
- Original FUJI DPS double-hood reel seat for improved balance
- Split handle made of high-quality Duplon material



Purista CGC

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Rod's weight gr.	Guides
PURISTA CGC STALKER								
Purista CGC Stalker 10" 2,75lbs.	130313	300cm	10ft.	2	157	2,75lbs.	243	6
Purista CGC Stalker 10" 3,00lbs.	130314	300cm	10ft.	2	157	3,00lbs.	245	6
PURISTA CGC CARP								
Purista CGC Carp 12ft. 2,75lbs.	130276	366cm	12ft.	2	188	2,75lbs.	303	6
Purista CGC Carp 12ft. 3,00lbs.	130302	366cm	12ft.	2	188	3,00lbs.	319	6
Purista CGC Carp 12ft. 3,25lbs.	130326	366cm	12ft.	2	188	3,25lbs.	345	6
Purista CGC Carp 12ft. 3,75lbs	130377	366cm	12ft.	2	188	3,75lbs.	356	6
Purista CGC Carp 13ft. 3,75lbs	130378	396cm	13ft.	2	203	3,75lbs.	403	6
PURISTA CGC DISTANCE								
Purista CGC Dist. 13ft. 3-5oz.	130561	396cm	13ft.	2	203	3-5oz.	432	6

- Slim and powerful high performance blank from Toray
- Excellent loading and casting characteristics
- Handle section reinforced with Toray "Special" 1K 45 Carbon Mesh
- Extra light and strong Carbon guides
- Qualitative FUJI DPS reel seat
- Start guide size 50 10ft. Stalker size 30
- With „Full Duplon „ handle



Carpy

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Guides
CARPY							
Carpy Rutenserie 2 tips (2,75lb & 3,5lb)	141000	330 360	11 (2,75lb) 12 (3,50lb)	3	187	2,75lb & 3,50lb	6

- Innovative dual tip rod – complete with an 11 ft 2.75 lb tip-section and a second 12 ft 3.5 lb tip-section
- Powerful backbone, sensitive tip – a true all-rounder with character.
- Slim and lightweight blank made from Japanese high-performance carbon
- Handle reinforced with 45° 3k mesh
- Extra slim Minima guides
- Robust FUJI DPS reel seat



F.B.C. CS-4

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Rod's weight gr.	Guides
FBC CS-4								
F.B.C. CS-4 10ft. 2,75lbs.	149275	300	10	2	155	2,75lbs.	242	6
F.B.C. CS-4 10ft. 3,00lbs.	149300	300	10	2	155	3,00lbs.	245	6
F.B.C. CS-4 10ft. 3,25lbs.	149325	300	10	2	155	3,25lbs.	276	6
F.B.C. CS-4 12ft. 3,00lbs.	149301	360	12	2	188	3,00lbs.	336	6
F.B.C. CS-4 12ft. 3,25lbs.	149326	360	12	2	188	3,25lbs.	346	6
F.B.C. CS-4 13ft. 3,75lbs.	149375	396	13	2	203	3,75lbs.	404	6
FBC CS-4 DISTANCE								
F.B.C. CS-4 Dist. 13ft. 3-5oz.	149460	396	13	2	203	3-5oz.	469	6

- Extremely powerful Helicore blank made from Toray T800 carbon
- Excellent casting performance and superb damping characteristics
- Black titanium rod guides from Seaguide
- 50mm starting guide for 12ft / 13ft models, 40mm for 10ft models
- Slim black-lacquered ALPS carbon reel seat
- Slim and robust full Duplon handle section



Advancer Carp CS-3

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Rod's weight gr.	Guides
ADVANCER CS-3								
Advancer CS-3 10ft. 3,00lbs.	151313	300	10	2	155	3,00lbs.	233	6
Advancer CS-3 10ft. 3,25lbs.	151314	300	10	2	155	3,25lbs.	246	6
Advancer CS-3 12ft. 2,75lbs.	151277	366	12	2	188	2,75lbs.	295	6
Advancer CS-3 12ft. 3,00lbs.	151302	366	12	2	188	3,00lbs.	297	6
Advancer CS-3 12ft. 3,25lbs.	151327	366	12	2	188	3,25lbs.	321	6
Advancer CS-3 12ft. 3,50lbs.	151352	366	12	2	188	3,50lbs.	339	6
Advancer CS-3 13ft. 3,75lbs.	151377	396	13	2	203	3,75lbs.	389	6
ADVANCER CS-3 SPOD								
Adv. CS-3 SPOD 13ft. 5,00lbs.	151552	396	13	2	203	5,00lbs.	427	6
Adv. CS-3 SPOD 13ft. 6,00lbs.	151553	396	13	2	203	6,00lbs.	439	6

- Powerful blank made from Japanese high-performance carbon by Toray
- Very good casting performance and reliable damping characteristics
- Stylish 1K carbon look
- Quality TVS-style reel seat
- Durable SIC guides
- Split handle made from robust Duplon material



Invictus CS-2

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Rod's weight gr.	Guides
INVICTUS CS-2								
Invictus CS2 12ft 2.75lbs	150276	366	12	2	188	2,75lbs.	298	6
Invictus CS2 12ft 3.00lbs	150301	366	12	2	188	3,00lbs.	320	6
Invictus CS2 12ft 3.25lbs	150326	366	12	2	188	3,25lbs.	341	6
Invictus CS2 12ft 3.75lbs	150351	366	12	2	188	3,75lbs.	376	6
Invictus CS2 13ft 3.75lbs	150374	396	13	2	203	3,75lbs.	385	6
INVICTUS CS-2 BOAT								
Invictus CS2 Boat 10ft 3.00lbs	150303	300	10	2	157	3,00lbs.	244	6
Invictus CS2 Boat 10ft 3.25lbs	150304	300	10	2	157	3,25lbs.	259	6
Invictus CS2 Boat 10ft 3.50lbs	150305	300	10	2	157	3,50lbs.	270	6
INVICTUS CS-2 SPOD								
Invictus CS2 SPOD 12ft 5.75lb	150574	366	12	2	203	5,75lbs.	390	6
Invictus CS2 SPOD 13ft 5.75lb	150576	396	13	2	203	5,75lbs.	433	6
INVICTUS-CS-2 DISTANCE								
Invictus CS2 Dist. 13ft 3-5oz	150460	396	13	2	203	3-5oz.	418	6

- Slim and powerful high-performance blank from Toray
- Excellent loading and casting characteristics
- Handle section reinforced with Toray "Special"-Carbon Mesh
- Extra slim and light weight Minima guides (10ft. to 12ft. 3,25lbs.)
- Qualitative FUJI TVS reel seat
- Start guide size 50 für 12ft. / 13ft. model - 10ft. Stalker size 30
- With extra slim „Full-Shrink“ handle



D.N.A. CS-3

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Rod's weight gr.	Guides
D.N.A. CS-3 CARP								
D.N.A. CS-3 12" 3,00lbs	145301	366	12	2	188	3,00lbs.	342	6
D.N.A. CS-3 12" 3,25lbs	145327	366	12	2	188	3,25lbs.	348	6
D.N.A. CS-3 13" 3,75lbs	145376	396	13	2	203	3,75lbs.	414	6
D.N.A. CS-3 DISTANCE								
D.N.A. CS-3 Distance 13" 3-5oz.	145400	396	13	2	203	3-5oz.	413	6
D.N.A. CS-3 SPOD								
D.N.A. CS-3 Spod 13" 6,00lbs	145390	396	13	2	203	6,00lbs.	458	6
D.N.A. CS-3 MIT SIC RINGEN								
D.N.A. CS-3 Carp 13" 3,75lbs	145476	396	13	2	203	3,75lbs.	429	6
D.N.A. CS-3 Distance 13" 3-5oz.	145500	396	13	2	203	3-5oz.	428	6
D.N.A. CS-3 Spod 13" 6,00lbs	145490	396	13	2	203	6,00lbs.	433	6

- Powerful high-performance blank made from Toray carbon
- Very good loading and damping properties
- Excellent casting performance
- Consistent special 1K Carbon Mesh at a 45° angle for
- increased tensile strength
- Super slim American Tackle "Minima" KW guides (start guide size 50)
- ALPS AWF aluminum reel seat
- Slim "full-shrink" handle with aluminum end cap



Specimen CS-2

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Rod's weight gr.	Guides
SPECIMEN CS-2 SHRINK SPLIT								
Specimen CS-2 10ft. 3,00lbs.	148311	300	10	2	155	3,00lbs.	259	6
Specimen CS-2 10ft. 3,25lbs.	148312	300	10	2	155	3,25lbs.	266	6
Specimen CS-2 10ft. 3,50lbs.	148313	300	10	2	155	2,75lbs.	284	6
Specimen CS-2 12ft. 3,00lbs.	148300	360	12	2	188	3,00lbs.	315	6
Specimen CS-2 12ft. 3,25lbs.	148325	360	12	2	188	3,25lbs.	322	6
Specimen CS-2 13ft. 3,50lbs.	148350	396	13	2	203	3,50lbs.	403	6
SPECIMEN CS-2 FULL CORK								
Specimen CS-2 12ft. 3,00lbs. (Kork)	148301	360	12	2	188	3,00lbs.	322	6
Specimen CS-2 12ft. 3,25lbs. (Kork)	148326	360	12	2	188	3,25lbs.	328	6

- High-performance blank with excellent casting performance
- Pronounced speed and top stability
- Stable KW long-cast SIC guides
- 50mm starting guide for 12ft and 13ft models – 40mm for 10ft
- High-quality FUJI DPS reel seat
- Ergonomic split handle made from high-quality Duplon material
- Optional full cork handle for 12ft 3.00lbs and 3.25lbs models



Triumph Contest

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Rod's weight gr.	Guides
TRIUMPH CARP								
Triumph Contest 13" 2-4oz.	148440	396	13	2	203	2-4oz.	418	6
Triumph Contest 13" 3-5oz.	148450	396	13	2	203	3-5oz.	461	6
Triumph Contest 13" 4-6oz.	148460	396	13	2	203	4-6oz.	517	6

- Highly dynamic blank made from Toray high-performance carbon
- Special construction for maximum casting distances
- Handle section reinforced w. 1K carbon mesh
- Robust KW SIC long-cast guides (50mm starting guide)
- FUJI double-hood carbon reel seat for optimal balance



Competition CS-5

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Rod's weight gr.	Guides
COMPETITION CS-5 STALKER								
Comp.CS5 Stalker 10' 2.75lbs	144401	300	10	2	157	2,75lbs.	251	6
Comp.CS5 Stalker 10' 3.00lbs	144402	300	10	2	157	3,00lbs.	278	6
Comp.CS5 Stalker 10' 3.50lbs	144405	300	10	2	157	3,50lbs.	299	6
COMPETITION CS-5 CARP								
Comp.Carp 12' 2.75lbs	144474	366	12	2	188	2,75lbs.	326	6
Comp.Carp 12' 3.00lbs	144400	366	12	2	188	3,00lbs.	344	6
Comp.Carp 12 3.25lbs	144425	366	12	2	188	3,25lbs.	363	6
Comp.Carp 12' 3.75lbs	144475	366	12	2	188	3,75lbs.	374	6
Comp.Carp 13' 3.75lbs	144476	396	13	2	203	3,75lbs.	456	6
COMPETITION CS-5 / 3-TEILIG								
Comp. Carp 12" 3,00lbs.	144440	366	12	3	128	3,00lbs.	357	6
Comp. Carp 12" 3,25lbs.	144442	366	12	3	128	3,25lbs.	389	6
COMPETITION CS-5 SPOD								
Comp. Spod 12" 5,50lbs.	144450	366	12	2	203	5,50lbs.	420	6
Comp. Spod 13" 5,50lbs.	144451	396	13	2	203	5,50lbs.	459	6
COMPETITION CS-5 DISTANCE								
Comp. Carp 13" 3-5oz.	144460	396	13	2	203	3-5oz.	466	6
COMPETITION CS-5 BREAKOUT - HANDTEIL EINSCHIEBBAR								
Comp. Breakout 10' 3.00lbs	144403	300	10	2	127	3,00lbs.	280	6
Comp. Breakout 10' 3.25lbs	144404	300	10	2	127	3,25lbs.	293	6
Comp. Breakout 13' 3.75lbs	144477	396	13	2	169	3,75lbs.	484	6
COMPETITION CS-5 STALKER KW-MINIMA								
Comp.CS-5 Stalker Minima 10' 2.75lbs	144501	300	10	2	157	2,75lbs.	239	6
Comp.CS-5 Stalker Minima 10' 3.00lbs	144502	300	10	2	157	3,00lbs.	262	6
COMPETITION CS-5 CARP KW-MINIMA								
Comp.CS-5 Minima 12' 3.00lbs	144504	366	12	2	188	3,00lbs.	324	6
Comp.CS-5 Minima 12' 3.25lbs	144505	366	12	2	188	3,25lbs.	342	6
Comp.CS-5 Minima 13' 3.75lbs	144506	396	13	2	203	3,75lbs.	456	6
COMPETITION CS-5 KW-MINIMA BREAKOUT								
Comp.CS-5 Breakout 3lbs	144503	300	10	2	126	3,00lbs.	272	6

- Powerful high-performance blank from Toray
- Very good loading and damping properties
- Handle section reinforced with extra Carbon Mesh
- Slim and resilient KW-Style SIC guides (start guide size 50 / for „Breakout“ size 40 and for „Stalker“ start guide size 30)
- Super slim American Tackle “Minima” KW guides (start guide 12ft. rod size 50 – 10ft. rod size 40)
- Sturdy TVS-Style reel seat
- Powerful high-performance blank from Toray



Catapult CS-4

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Rod's weight gr.	Guides
CATAPULT CS-4 CARP STALKER								
Catap. Stalker 10' 2,75lbs.	143315	300	10	2	157	2,75lbs.	222	6
Catap. Stalker 10' 3,00lbs.	143316	300	10	2	157	3,00lbs.	224	6
CATAPULT CS-4 CARP								
Catapult Carp 12' 2,75lbs.	143276	366	12	2	188	2,75lbs.	300	6
Catapult Carp 12' 3,00lbs.	143303	366	12	2	188	3,00lbs.	316	6
Catapult Carp 12' 3,25lbs.	143323	366	12	2	188	3,25lbs.	328	6
Catapult Carp 12' 3,75lbs.	143378	366	12	2	188	3,75lbs.	366	6
Catapult Carp 13' 3,75lbs.	143379	396	13	2	203	3,75lbs.	410	6
CATAPULT CS-4 SPOD								
Catap. Spod 12' 5,50lbs.	143576	366	12	2	188	5,50lbs.	356	6
Catap. Spod 13' 5,50lbs.	143577	396	13	2	203	5,50lbs.	435	6
Catap. Spod 13' 6,50lbs.	143650	396	13	2	203	6,50lbs.	457	6
CATAPULT CS-4 MARKER								
Catap. Marker 13' 4,75lbs.	143475	396	13	2	203	4,75lbs.	420g	6
CATAPULT CS-4 DISTANCE								
Catap. Carp CS-4 Dist. 3-5oz.	143561	396	13	2	203	3-5oz.	435g	6

- Slim and lightweight blank made of Japanese high-performance carbon
- Semi-parabolic action with outstanding casting and loading performance
- Handle reinforced with „Spiral“ carbon technology
- Slim SIC guides (starting with size 50 for regular rods, size 30 for „Stalker“ rods)
- Robust FUJI DPS reel seat
- Split handle made of high-quality Duplon material



Touron Carp

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Rod's weight gr.	Guides
TOURON CARP								
Touron Carp 12" 3,00lbs	145311	366	12	4	97,5	3,00lbs.	345	6
Touron Carp 12" 3,25lbs	145321	366	12	4	97,5	3,25lbs.	357	6
Touron Carp 12" 3,50lbs	145351	366	12	4	97,5	3,50lbs.	373	6
Touron Carp 13" 3,75lbs	145371	396	13	4	105,5	3,75lbs.	408	6

- 4-piece blank made of Japanese high-performance carbon
- Excellent casting properties for accurate and long-distance casts
- Rod can be fished in two different lengths: 12ft. + 9ft. or 13ft. + 10ft.
- Slim Seaguide SIC guides (starting with size 50)
- FUJI DPS reel seat
- Matte „Multi-Woven“ mesh surface finish