

SPORTEX

GERMANY



www.sports.sk
www.sportsrybarni.cz

PREDATOR RODS

Technical specifications

Distribútor: Slovensko: +421 33 7782424 / Čechy: +420 773 149 334 / Morava: +420 773 149 230



Absolut Level3

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Tolerance CW gr.	Rod's weight gr.	Guides
ABSOLUT LEVEL3									
AB2122	190213	210	7	2	109	11-55	--	132	8
AB2212	190223	225	7,4	2	116	11-58	--	141	8
AB2422	190232	235	7,7	2	122	16-57	--	152	9
AB2423	190233	235	7,7	2	122	19-79	--	155	9
AB2424	190234	235	7,7	2	122	23-92	--	168	9
AB2722	190262	265	8,7	2	137	15-55	--	171	9
AB2723	190263	265	8,7	2	137	18-74	--	177	9

ABSOLUT LEVEL3 BAITCAST

AB1950 Pelagic	190196	195	6,4	2	140	65-125	--	133	9
AB2100	190210	210	7	2	109	3-19	--	104	11
AB2257 SharpShoot	190227	225	7,4	2	186	65-125	--	137	10



Graphenon RS-2

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Tolerance CW gr.	Rod's weight gr.	Guides
GRAPHENON RS-2 SPIN									
GS2201	119201	210	7	2	109	10	3-19	105	8
GS2411	119251	240	8	2	124	20	8-29	127	9
GS2412	119252	240	8	2	124	40	15-58	144	9
GS2413	119253	240	8	2	124	60	18-77	147	9
GS2711	119281	270	9	2	139	20	7-28	143	9
GS2712	119282	270	9	2	139	40	14-57	167	9
GS2713	119283	270	9	2	139	60	17-76	171	9

GRAPHENON RS-2 ULTRA LIGHT

GS2200	119220	210	7	2	109	1-8	--	101	8
GS2500	119250	240	8	2	124	1-8	--	115	9

GRAPHENON RS-2 SEATROUT

GS2760 (ULR)	119280	270	9	2	139	5-17	--	129	9
GS2761	119262	275	9	2	141	25	5-28	138	9
GS3061	119351	305	10	2	156	25	5-28	162	10

GRAPHENON RS-2 TRAVEL

GS2313	119232	235	7,7	4	62	50	16-67	159	9
GS2613	119263	265	8,7	5	58	70	19-89	196	9

- Lightweight and powerful Helicore-Blank
- "X-Fast" action for a perfect transmission of the bite
- New „3DX-2" Carbon Mesh on the blank surface
- Slim SIC KL / KT – Style guides
- Qualitative FUJI TVS / ACS (Baitcast) reel seat
- Moveable Fuji EHKM hook keeper
- Sturdy EVA split handle

- Lightweight and powerful Helicore blank with M40X + T1100 Carbon
- Medium Fast+ action with top casting properties and perfect bite transmission
- Progressive power development for optimal control during the fight
- Slim FUJI KW / KL / KT SIC guides
- Monocoque carbon reel seat
- Specially designed monocoque full carbon handle
- SEAGUIDE D-Hook keeper



TiBoron RS-3 Spin

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Tolerance CW gr.	Rod's weight gr.	Guides
TIBORON RS-3 SPIN									
TI2101	158211	210	7	2	109	20	11-31	101	8
TI2102	158212	210	7	2	109	40	19-53	104	8
TI2401	158241	240	8	2	124	20	9-33	110	9
TI2402	158242	240	8	2	124	40	19-55	120	9
TI2502	158252	255	8,3	2	131	40	18-53	125	9
TI2701	158271	270	9	2	141	20	8-32	128	9
TI2702	158272	270	9	2	141	40	17-52	134	9
TI2703	158273	270	9	2	141	60	21-74	145	9

TIBORON RS-3 ULR

TI2100	158210	210	7	2	109	0,5-5	--	88	8
TI2200	158220	210	7	2	109	1-7	--	90	8
TI2400	158240	240	8	2	124	1-7	--	104	8
TI2700	158270	270	9	2	139	1-7	--	117	9

TIBORON RS-3 SEATROUT

TI2750	158250	275	9	2	141	15	5-19	135	9
TI2751	158251	275	9	2	141	25	6-31	138	9
TI3051	158351	305	10	2	161	28	9-35	154	10

- Lightweight and durable Helicore blank made of T1100 carbon with nanotechnology
- Fast action with excellent casting performance and damping properties
- Blank surface with „Fishscale" technology (similar to AIR SPIN RS-2)
- FUJI SIC guides
- Specifically designed FUJI VSS reel seat with 3K carbon handle
- High-quality split EVA handle (Seatrout models with 5A full cork)
- Detachable FUJI hook keeper



Nobun

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Tolerance CW gr.	Rod's weight gr.	Guides
NOBUN SPIN									
NB2101	154211	215	7	2	110	20	7-31	118	9
NB2102	154212	215	7	2	110	40	11-53	123	8
NB2301	154231	235	7,7	2	121	20	9-31	125	8
NB2302	154232	235	7,7	2	121	40	13-54	127	8
NB2303	154233	235	7,7	2	121	60	19-74	136	8
NB2601	154261	265	8,7	2	136	20	8-32	138	9
NB2602	154262	265	8,7	2	136	40	12-55	144	9
NB2603	154263	265	8,7	2	136	60	18-76	150	9
NOBUN INLINE - MONOPIECE									
NB1803	154183	180	6	1	180	50	16-65	133	--
NOBUN BAITCAST - MONOPIECE									
NB1800	154181	188	6,1	1	188	2-13	--	119	10
NB1802	154182	185	6	1	185	12-48	--	123	10
NB1804	154184	185	6	1	185	23-79	--	127	10
NB2100	154210	215	7	2	111	3-18	--	112	10
NB2112	154213	215	7	2	111	40	11-53	119	10
NOBUN JIG									
NB2612	154272	275	9	2	137	40	14-57	155	9
NB2613	154273	275	9	2	137	60	19-78	160	9

- Lightweight and durable Helicore blank made of T1100 carbon with nanotechnology
- Extra-fast action with powerful backbone and sensitive tip
- Excellent casting properties
- Specifically designed SPORTEX carbon reel seat Lightweight FUJI SIC guides with titanium frame
- Monocoque carbon handle (spin) or telescopic split carbon handles (baitcast)
- Detachable FUJI hook keeper



Beyond RS-2

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Tolerance CW gr.	Rod's weight gr.	Guides
BEYOND RS-2 SPIN									
BY2202	131222	225	7,4	2	116	50	19-67	132	8
BY2411	131231	235	7,7	2	121	20	9-33	139	9
BY2412	131232	235	7,7	2	121	40	17-58	149	9
BY2413	131233	235	7,7	2	121	60	21-76	158	9
BY2512	131252	250	8,2	2	121	50	18-66	163	9
BY2712	131262	265	8,7	2	137	40	16-57	171	9
BY2713	131263	265	8,7	2	137	60	21-75	176	9
BY2714	131264	265	8,7	2	137	75	24-92	184	9
BEYOND RS-2 SEATROUT									
BY2761	131261	275	9	2	141	25	9-34	129	9
BY3061	131352	305	10	2	156	25	11-2	149	10

- Innovative heptagonal and robust heptacore blank made of
- Toray High-Performance T1100 Carbon
- Extra fast action with powerful backbone and sensitive tip
- Outstanding and precise casting performance
- Slim and lightweight SEAGUIDE Titanium SIC guides
- Painted FUJI TVS reel seat
- High quality carbon design split handles
- SEAGUIDE D-Hook keeper



Air Spin RS-2

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Tolerance CW gr.	Rod's weight gr.	Guides
AIR SPIN RS-2									
AS2411	129231	240	8	2	123	20	9-31	134	9
AS2412	129232	240	8	2	123	40	15-57	143	9
AS2711	129261	270	9	2	140	20	9-29	136	9
AS2712	129262	270	9	2	140	40	14-56	151	9
AS2713	129263	270	9	2	140	60	18-74	157	9
AS2714	129264	270	9	2	140	80	22-96	168	9
AIR SPIN RS-2 SEATROUT									
AS2750	129250	275	9	2	143	15	4-18	151	9
AS2751	129251	275	9	2	143	25	6-31	153	9
AS3151	129351	310	10,1	2	160	28	10-38	165	11

- Lightweight and durable Helicore blank made of T1100 carbon with nanotechnology
- Fast action with powerful backbone and sensitive tip
- Excellent casting and damping properties
- New „Fish-Scale“ technology on the blank surface
- Specially designed SPORTEX reel seat with FUJI Hoods
- Super lightweight FUJI Torzite rings with titanium frames
- Ergonomic Duplon / full cork handle (Seatrout)
- Removable FUJI hook keeper
- End cap with removable counterweights



Revolt RS-2 Spin

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Tolerance CW gr.	Rod's weight gr.	Guides
REVOLT RS-2 ULR									
RS2200	153220	210	7	2	109	1-9	--	98	9
RS2500	153230	240	8	2	124	1-9	--	115	9
RS2800	153260	270	9	2	139	1-9	--	126	9
REVOLT RS-2 SPIN									
RS2411	153231	240	8	2	124	20	9-32	133	9
RS2412	153232	240	8	2	124	40	18-56	136	9
RS2413	153233	240	8	2	124	60	24-73	163	9
RS2712	153262	270	9	2	139	40	19-55	155	9
RS2713	153263	270	9	2	139	60	25-73	179	9
REVOLT RS-2 SEATROUT									
RS2750	153250	275	9	2	141	15	5-19	136	9
RS2761	153261	275	9	2	141	25	7-29	150	9
RS3061	153361	305	10	2	156	25	9-31	166	10

- Innovative seven-sided and lightweight Heptacore blank made from Toray T800 carbon
- Fast action with powerful backbone and sensitive tip
- Exceptional and precise casting performance
- Slim and durable American Tackle KL / KT long-cast SIC guides
- Black-lacquered FUJI VSS or TVS reel seat (Seatrout) with carbon hood
- High-quality EVA split rear handle with aluminum end cap



JIG-Xpert

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Rod's weight gr.	Guides
JIG-XPERT BARSCH								
JX1900	159190	192	6,3	2	99	1-11	98	8
JX2100	159210	213	7	2	110	3-15	109	8
JX2000 (Baitcast)	159200	192	6,3	2	99	1-11	104	10
JX2001 (Baitcast)	159191	188	6,1	2	97	4-18	105	10
JX2111 (Baitcast)	159201	213	7	2	110	3-15	112	10
JX2301	159230	235	7,7	2	121	4-19	121	9
JIG-XPERT ZANDER								
JX1802	159182	188	6,1	2	97	19-48	114	8
JX2101 (Baitcast)	159211	210	7	2	109	8-29	117	10
JX2102	159212	210	7	2	109	11-39	116	8
JX2302	159231	235	7,7	2	121	8-29	128	9
JX2312 (Baitcast)	159232	235	7,7	2	121	8-29	134	11
JX2502	159252	250	8,2	2	129	15-45	149	9
JX2602	159263	265	8,7	2	136	17-53	162	10
JIG-XPERT HECHT								
JX1904 (Baitcast)	159194	192	6,3	2	98	21-79	137	10
JX2204 (Baitcast)	159224	225	7,3	2	116	28-85	151	10
JX2405 (Baitcast)	159245	245	8	2	126	34-97	180	10
JX2504 (Baitcast)	159254	255	8,3	2	131	28-85	177	10
JX2507	159257	255	8,3	2	131	130-225	214	9
JX2605	159264	268	8,8	2	138	31-95	192	10
JX2606	159265	268	8,8	2	138	68-117	205	10

- Very fast and lightweight blank made of Japanese high-performance carbon
- Specifically designed for use with artificial lures targeting bass, pike, and zander
- Fast action and excellent casting properties
- Quality SIC guides in KL/KT style
- Solid TVS or ACS (baitcast) reel seat
- High-quality, slim split Duplon handles



Carat GTS-2

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Tolerance CW gr.	Rod's weight gr.	Guides
CARAT GTS-2 SPIN									
CC2101	133221	210	7	2	109	10	3-19	101	8
CC2102	133222	210	7	2	109	40	14-53	113	8
CC2411	133231	240	8	2	124	20	11-29	124	8
CC2412	133232	240	8	2	124	40	15-54	137	8
CC2512	133262	255	8,3	2	131	50	17-64	145	8
CC2711	133281	270	9	2	139	20	12-28	140	9
CC2712	133282	270	9	2	139	40	14-53	157	9
CC2713	133283	270	9	2	139	60	19-75	160	9
CARAT GTS-2 SEATROUT									
CC2762	133253	275	9	2	141	25	5-29	125	9
CC3061	133352	305	10	2	156	28	8-34	144	10
CARAT GTS-2 SEATROUT FINESSE									
CC2760	133260	275	9	2	141	--	6-19	123	9
CARAT GTS-2 TRAVEL									
CC2302	133223	225	7,3	4	60	60	21-73	151	8
CC2603	133264	265	8,7	5	58	70	29-87	192	9

- Lightweight and powerful Helicore-Blank T1100 Carbon from Toray
- First-class damping properties and resilience
- „Fast“ action with great casting performance and top sensitivity
- SEAGUIDE XOG / XQG / XOG-W SIC guides
- Monocoque carbon reel seat
- Specially designed monocoque full carbon handle
- SEAGUIDE D-Hook keeper



Rival

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Rod's weight gr.	Guides
RIVAL ULR								
RV1800	184180	185	6	2	96	0,3-5g	65	8
RV1900	184190	198	6,4	2	102	0,5-7g	70	8
RV2000	184200	211	7	2	109	1-11g	76	9
RIVAL BASS								
RV2101	184191	213	7	2	110	2-12g / 1/16-3/8oz	86	9
RV2201	184202	218	7,1	2	113	4-23g / 3/16-3/4oz.	92	9
RV2301	184231	230	7,5	2	119	4-28g / 1/8-1oz.	107	9
RIVAL JIG								
RV2302	184232	220	7,2	2	114	18-59g / 2oz	145	9
RV2303	184234	225	7,4	2	116	22-86g / 3oz	162	9
RV2306	184236	225	7,4	2	116	33-113g / 4oz	171	9
RIVAL DISTANCE								
RV2401	184251	247	8,1	2	127	4-28g (1/8 - 1oz)	116	9
RV2602	184262	265	8,7	2	136	5-30g (3/16 - 1 1/16oz)	142	9
RIVAL BAITCAST								
RV1810	184170	195	6,4	2	97	1-10g (1/32 - 3/8oz)	82	10
RV2001	184221	200	6,5	2	103	3-15g (1/8 - 1/2oz)	87	10
RV2002	184192	205	6,7	2	105	5-30g (3/16 - 1 1/16oz)	99	10
RV2211	184220	213	7	2	110	3-15g (1/8 - 1/2oz)	96	11
RV2202	184228	226	7,4	2	117	8-39g (5/16 - 1 3/8oz)	116	11
RV2311	184230	235	7,7	2	121	4-24g (1/8 - 3/4oz)	117	11

- Lightweight and powerful Helicore-Blank
- "X-Fast" action with powerful backbone and sensitive tip
- Outstanding casting and transmission properties
- Slim FUJI SIC KL / KT guides
- Qualitative FUJI TVS reel seat
- Seaguide D-Hook keeper
- High grade EVA split handle



LAKE RS-2

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Tolerance CW gr.	Rod's weight gr.	Guides
LAKE RS-2									
SK2912	108293	292	9,5	2	151	9-35	- -	159	11
SK3212	108323	325	10,6	2	167	9-35	- -	169	11

- Ultra-sensitive blank made from Japanese high-performance carbon by Toray
- Parabolic action with reinforced backbone
- Stable & lightweight Seaguide SIC guides
- Quality FUJI TVS reel seat
- High-quality split cork handles with aluminum end cap
- Length markers (60cm / 80cm) on the blank



Black Arrow G4

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Tolerance CW gr.	Rod's weight gr.	Guides
BLACK ARROW G4 SPIN									
BA2211	146220	210	7	2	109	10	3-19	104	8
BA2212	146221	210	7	2	109	20	11-31	107	8
BA2213	146222	210	7	2	109	40	16-53	117	8
BA2214	146224	225	7,4	2	116	70	18-84	141	8
BA2300	146250	240	8	2	125	10	3-19	123	9
BA2301	146231	240	8	2	125	20	11-32	128	9
BA2302	146232	240	8	2	125	40	14-54	139	9
BA2303	146233	240	8	2	125	60	17-75	149	9
BA2334 (Baitc.)	146234	240	8	2	125	80	19-96	193	10
BA2535 (Baitc.)	146256	255	8,3	2	132	100	25-119	180	10
BA2812	146262	270	9	2	140	40	13-53	179	9
BA2813	146263	270	9	2	140	60	16-76	178	9
BA2814	146264	270	9	2	140	80	18-95	197	9
BLACK ARROW G4 ULR									
BA1900	146100	180	6	2	94	0,5 - 7	- -	92	8
BA2200	146400	210	7	2	109	0,5 - 7	- -	103	8
BA2500	146500	240	8	2	125	0,5 - 7	- -	112	9
BA2800	146600	270	9	2	140	0,5 - 7	- -	130	9
BLACK ARROW G4 MUSKY									
BA2318 (Baitc.)	146247	230	7,5	2	166	170	130-220	250	9
BA2515 (Baitc.)	146246	245	8	2	181	150	115-190	239	9
BA2519 (Baitc.)	146258	250	8,3	2	181	260	200-290	306	9
BA2619 (Baitc.)	146269	260	8,5	2	191	300	260-420	340	9
BLACK ARROW G4 STREET									
BA2220	146192	205	6,7	2	174	10	2-13	125	8
BA2221	146193	215	7	2	184	10	4-19	135	8

- Lightweight and powerful Helicore-Blank T800 Carbon from Toray
- „Fast" action perfect for using hard and soft baits
- Enormous speed and great casting properties
- Telescopic rear handle on „Street" models
- Slim SEAGUIDE XOG / XQG / XOG-W SIC guides
- Painted FUJI TVS or ACS (baitcast) reel seat
- Ergonomic EVA „split" rear handle with aluminum end cap
- SEAGUIDE D-Hook keeper



Seatrout Xpert

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Tolerance CW gr.	Rod's weight gr.	Guides
SEATROUT XPERT									
ST2852	121271	280	9,2	2	144	25	9-28	165	9
ST3152	121351	315	10,3	2	162	28	10-35	195	11
SEATROUT XPERT 3-TEILIG									
ST2832	121281	280	9,2	3	98	25	9-28	169	9
ST3163	121353	315	10,3	3	110	28	10-35	199	11
SEATROUT XPERT BAITCAST									
ST2862	121291	280	9,2	2	144	25	9-28	178	11
ST3162	121352	315	10,3	2	162	28	10-35	211	12
SEATROUT XPERT FINESS									
ST2551	121251	250	8,2	2	128	15	5-18	151	8
ST2851	121261	280	9,2	2	144	15	5-18	166	9
SEATROUT XPERT ULR									
ST2750	121260	270	9	2	139	3-12	--	156	9
SEATROUT XPERT SBIRO									
ST3652	121362	360	12	3	125	28	10-35	216	12

- Lightweight and slim blank made of Japanese high-performance carbon
- Semi-parabolic action with excellent sensitivity in the tip section
- Handle reinforced with special carbon mesh
- Sturdy and highly abrasion-resistant K-Style SIC guides
- Robust FUJI DPS/ACS reel seat
- High-quality, slim continuous Duplon handle



Illusion

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Tolerance CW gr.	Rod's weight gr.	Guides
ILLUSION									
IL1950 (Baitcast) „Pelagic“	184195	188	6,1	2	108	110	55-122	144	10
IL2100 (Baitcast)	184210	210	7	2	109	10	3-17	104	11
IL2101	184211	210	7	2	109	20	12-34	108	8
IL2111 (Baitcast)	184201	210	7	2	109	20	12-34	114	11
IL2102	184212	210	7	2	109	40	19-52	122	8
IL2202 „SharpShoot“	184222	225	7,4	2	116	50	21-68	134	8
IL2400	184240	245	8	2	127	10	3-19	117	8
IL2401	184241	245	8	2	127	20	11-31	128	8
IL2402	184242	245	8	2	127	40	17-53	136	8
IL2412 (Baitcast)	184252	245	8	2	127	40	17-53	145	11
IL2403	184243	245	8	2	127	60	23-73	156	8
IL2414 (Baitcast)	184244	245	8	2	127	90	31-107	168	11
IL2700	184270	265	8,7	2	137	10	2-12	129	9
IL2701	184271	265	8,7	2	137	20	11-35	135	9
IL2702	184272	265	8,7	2	137	40	17-54	164	9
IL2703	184273	265	8,7	2	137	60	22-74	176	9
IL2704	184274	265	8,7	2	137	70	24-85	179	9

- Lightweight and high-performance blank made from „High-Performance“ carbon from Toray
- „X-Fast“ action, perfect for using hard and soft baits
- Crack-Camou design on the handle section
- Slim SIC KL / KT - style rings
- Solid TVS or ACS (Baitcast) reel seat
- EVA „Split“ rear grip with Crack-Camou design
- SEAGUIDE D-Hook hook keeper



Genium

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Tolerance CW gr.	Rod's weight gr.	Guides
GENIUM SPIN									
GN2101	116201	210	7	2	108	20	9-28	108	7
GN2102	116202	210	7	2	108	40	12-51	116	7
GN2401	116241	240	8	2	124	20	8-29	134	8
GN2402	116242	240	8	2	124	40	16-52	141	8
GN2403	116243	240	8	2	124	60	23-71	147	8
GN2501	116251	255	8,3	2	131	28	11-39	137	8
GN2502	116252	255	8,3	2	131	40	13-52	146	8
GN2701	116271	270	9	2	140	20	7-29	143	9
GN2702	116272	270	9	2	140	40	14-53	152	9
GN2703	116273	270	9	2	140	60	21-72	159	9
GN2704	116274	270	9	2	140	80	38-92	169	9
GENIUM ULR									
GN2100	116200	210	7	2	108	2-8	--	96	10
GN2400	116240	240	8	2	124	2-8	--	103	11
GN2700	116270	270	9	2	140	2-8	--	110	11

- Very lightweight and slim blank made of Japanese high-performance carbon
- Tremendous fast action, excellent power reserves, and top sensitivity
- Outstanding casting performance and damping properties
- Super lightweight and durable carbon guides (KW/KL/KT style)
- Seaguide XSS reel seat
- Ergonomic 3K carbon handles



REGERA

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Rod's weight gr.	Guides
REGERA								
RG2408	157248	240	8	2	124	50-165	279g inkl. 30 CW	6
RG2705	157275	270	9	2	139	40-110	294g inkl. 30 CW	6
RG2709	157279	270	9	2	139	120-225	332g inkl. 30 CW	6
RG2808	157288	280	9	2	143	50-165	344g inkl. 30 CW	6
RG3008	157308	300	10	2	155	50-165	349g inkl. 30 CW	7

- Extremely powerful blank made from Japanese high-performance carbon
- Blank reinforced with special Kevlar material
- „Fast“ action with excellent bite transmission
- Excellent casting dynamics for long casts with larger lures
- Sturdy Seaguide DPS reel seat
- Robust KW SIC long-cast guides
- Full-length cork rear handle with removable counterweights



Hydra RS-3

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Rod's weight gr.	Guides
HYDRA RS-3								
HY2210	183300	215	7	2	110	3-15	114	8
HY2211	183301	215	7	2	110	7-29	121	8
HY2212	183302	215	7	2	110	11-55	125	8
HY2213	183303	225	7,3	2	115	17-75	141	8
HY2311	183311	245	8	2	127	7-33	138	8
HY2312	183312	245	8	2	127	12-57	147	8
HY2313	183313	245	8	2	127	18-76	163	8
HY2314	183314	245	8	2	127	22-95	184	8
HY2712	183412	275	9	2	142	11-56	179	9
HY2713	183413	275	9	2	142	17-76	184	9
HY2714	183414	275	9	2	142	21-95	211	9

HYDRA RS-3 BAITCAST

HY2000	183200	215	7	2	110	3-15	124	10
HY2001	183202	215	7	2	110	8-29	129	10
HY2204	183204	225	7,3	2	116	23-86	157	10
HY2230	183209	235	7,7	2	121	125-255	247	9
HY2332	183203	240	8	2	124	11-56	154	11

- Lightweight and high-performance Heli-core blank made from T800 carbon
- „Fast“ action with great casting dynamics and top sensitivity
- Ideally suited for all types of artificial lures
- Modern, slim SEAGUIDE XOG / XQG / XOG-W SIC guides
- FUJI VSS or ACS reel seat (depending on model)
- Ergonomic full-length Duplon handle with aluminum end cap



Curve RS-3

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Rod's weight gr.	Guides
CURVE RS-3 PERCH								
PS2010	117221	215	7	2	111	4-14	97	9
PS2311	117231	235	7,7	2	121	7-24	114	10
PS2611	117261	265	8,7	2	136	6-22	124	11
CURVE RS-3 ZANDER								
PS2212	117202	215	7	2	111	11-54	116	8
PS2312	117222	235	7,7	2	121	9-33	119	8
PS2512	117250	250	8,2	2	129	13-44	136	9
PS2612	117262	265	8,7	2	136	15-56	156	9

- Very light and durable blank made from Japanese high-performance carbon
- Rod series designed for modern perch and zander fishing
- Handle section reinforced with carbon mesh
- Slim and lightweight KL / KT SIC guides
- Lightweight, stylish reel seat
- High-quality ergonomic EVA split rear handle with aluminum end cap



X-Act Zander RS-2 / X-Act Pike RS-2

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Rod's weight gr.	Guides
X-ACT ZANDER RS-2								
XA2102	135202	215	7	2	111	11-54	106	8
X-ACT PIKE RS-2								
XA2104	135204	215	7	2	111	17-79	109	8

- Super light and extremely sensitive blank made from Toray high-performance carbon
- Very sensitive tip section with a very powerful backbone
- Direct bite transmission into the hand
- Slim, lightweight, abrasion-resistant KL / KT SIC guides
- High-quality split Duplon handle with aluminum end cap



Black Pearl MAXX

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Tolerance CW gr.	Rod's weight gr.	Guides
BLACK PEARL MAXX									
BP2121	122200	210	7	2	109	20	12-33	104	8
BP2131 (Baitcast)	122221	210	7	2	109	20	13-29	109	10
BP2421	122251	240	8	2	123	20	13-31	122	8
BP2432	122253	240	8	2	123	40	22-54	135	8
BP2442 (Baitcast)	122222	240	8	2	123	40	21-52	144	11
BP2423	122254	240	8	2	123	60	25-72	164	8
BP2424	122255	240	8	2	123	80	33-92	165	8
BP2711	122291	270	9	2	140	20	12-32	143	9
BP2712	122292	270	9	2	140	40	22-51	152	9
BP2713	122293	270	9	2	140	60	24-74	185	9
BP2714	122294	270	9	2	140	80	31-91	186	9
BP3151	122351	305	10	2	156	25	5-29	160	10
BP3012	122312	300	10	2	155	40	22-53	190	10
BP3013	122313	300	10	2	155	60	24-74	202	10

BLACK PEARL MAXX ULR

BP2200	122220	210	7	2	109	2-9	--	92	9
BP2500	122250	235	7,7	2	122	2-9	--	104	10
BP2600	122260	265	8,7	2	136	2-9	--	112	10

BLACK PEARL SEABASS

BP3022	122322	300	10	2	155	50	15-65	212	10
BP3324	122334	330	11	2	172	75	21-85	246	10
BP3624	122364	360	12	2	187	75	19-83	268	10

BLACK PEARL MAXX TRAVEL

BP2263 (Saltwater)	122223	220	7,2	4	58	70	25-84	157	8
BP2462	122262	240	8	4	65	40	22-54	151	8
BP2763	122263	270	9	5	59	60	24-74	203	9



Rapid Spin / Deadbait

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Tolerance CW gr.	Rod's weight gr.	Guides
RAPID SPIN									
RP2402	160242	240	8	2	124	40	19-52	146	8
RP2701	160271	270	9	2	139	20	7-28	154	9
RP2702	160272	270	9	2	139	40	18-51	162	9
RP2703	160273	270	9	2	139	60	24-71	179	9
RP3003	160303	300	10	2	154	60	21-71	202	10

RAPID SPIN TRAVEL

RP2601	160261	260	8,5	4	69	20	8-28	160	8
RP2602	160262	260	8,5	4	69	40	19-52	167	8
RP2603	160263	260	8,5	4	69	60	23-71	182	8

RAPID SPIN DEAD-BAIT

RP2805	160294	295	9,6	2	151	28-85	--	222	7
RP3005	160315	315	10,3	2	161	35-98	--	246	8
RP3305	160336	335	11	2	171	42-121	--	285	9



NOVA RS-3

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Rod's weight gr.	Guides
NOVA RS-2 ULR								
PT2020	112100	205	6,7	2	107	1-11	93	8
NOVA RS-2								
PT1950 (Baitcast)	112191	195	6,3	2	101	3-15	98	10
PT2130 Allround Light	112201	213	7	2	110	2-15	99	8
PT2131 Allround	112202	213	7	2	110	5-23	106	8
PT2122 (Baitcast)	112211	215	7	2	111	6-29	117	10
PT2220 Jig	112221	222	7,2	2	114	3-22	108	8
PT2351 Allround	112230	235	7,7	2	121	4-28	117	8
PT2352 (Baitcast)	112231	235	7,7	2	121	7-31	125	11
PT2442	112232	235	7,7	2	121	11-53	129	8
NOVA RS-3 DROPSHOT								
PT2350	112240	235	7,7	2	121	4-28	109	8
PT2551	112250	265	8,2	2	129	5-36	134	9

- Light blank made of Toray high modul carbon material
- Fast tip and powerful backbone
- Great casting properties
- Handle section reinforced with Toray "Slit"-Carbon Mesh
- KW / KL / KT-Style SIC guides
- SturdyTVS-Style reel seat
- High-quality EVA split handle
- SEAGUIDE D-Hook hook keeper

- Lightweight blank made of Japanese high-modulus carbon
- Very fast tip and powerful backbone
- Excellent casting performance
- Unique Camou-Fish design on the blank
- Slim and robust SIC guides
- High-quality DPS reel seat
- Durable Duplon material on the handle section

- Lightweight and durable blank made from Japanese high-performance carbon
- Rod series for modern perch fishing
- High speed and great sensitivity
- Slim and lightweight KL / KT style SIC guides
- Robust VSS reel seat
- Ergonomic EVA split rear handle with aluminum end cap



Magnific Finesse RS-2

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Rod's weight gr.	Guides
MAGNIFIC FINESSE ML RS-2								
MG1910	155170	195	6,4	2	101	2-10	90	9
MG2101	155212	215	7	2	110	3-18	98	11
MG2112 (Baitcast)	155220	210	7	2	109	3-15	100	11
MG2301	155230	235	7,7	2	121	3-17	115	11
MAGNIFIC FINESSE M RS-2								
MG1911	155171	195	6,4	2	101	5-18	97	9
MG1913 (Baitcast)	155172	195	6,4	2	101	9-28	106	11
MG2312	155241	235	7,7	2	121	7-23	123	11
MAGNIFIC FINESSE MH RS-2								
MG2402	155232	235	7,7	2	121	9-32	128	11
MG2502	155252	250	8,2	2	129	8-30	138	11

- Lightweight and powerful Helicore-Blank T1100 Carbon from Toray
- "Fast" action with excellent sensitivity for small and light lures
- Excellent casting dynamics for long casts
- Painted FUJI TVS reel seat
- Slim and lightweight FUJI KL / KT SIC guides
- Ergonomic EVA "Split" rear handle with aluminum end cap
- SEAGUIDE D-Hook keeper



Neowave RS-2

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Rod's weight gr.	Guides
NEOWAVE RS-2 SUPER ULR								
AW2101	127224	210	7	2	109	0,1-5	76	9
AW2401	127234	235	7,7	2	121	0,1-5	81	9
AW2701	127264	265	8,7	2	136	0,1-5	93	10
NEOWAVE RS-2 ULR								
AW2201	127225	210	7	2	109	0,8-9	77	9
AW2301	127235	235	7,7	2	121	0,8-9	82	9
AW2801	127265	265	8,7	2	136	0,8-9	94	10

- Lightweight and powerful Helicore-Blank
- Qualitative FUJI TVS reel seat
- Fast action with great casting performance and top sensitivity in the tip area
- New „3DX-2“ Carbon Mesh on the blank surface
- Lightweight TitaniumSIC guides in KL / KT-Style
- High-quality EVA splithandle
- Moveable Fuji EHKM hookkeeper



Kev Nitro RS-2

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Rod's weight gr.	Guides
KEV NITRO								
SP2203	121223	225	7,4	2	117	17-73	165	8
SP2412	121252	235	7,7	2	122	16-57	154	9
SP2413	121253	235	7,7	2	122	19-75	162	9
SP2404	121254	235	7,7	2	122	23-96	167	9
SP2618 (Trolling / Spin)	121268	265	8,7	2	137	65-142	224	9
SP2712	121262	268	8,8	2	139	15-55	173	9
SP2713	121263	268	8,8	2	139	18-74	181	9
SP2704	121264	268	8,8	2	139	22-95	196	9

- Lightweight and powerful blank made from Toray's „High-Performance“ Carbon
- „Fast“ action with excellent casting characteristics
- Utilizes the latest KEV-Technology for increased pulling power
- Specially designed for catching predatory fish
- FUJI TVS reel seat
- Seaguide XOG / XQG / XOG-W SIC guides
- Slim continuous EVA rear grip
- SEAGUIDE D-Hook hook keeper



Sturgeon

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Tolerance CW gr.	Rod's weight gr.	Guides
STURGEON									
ST3319	134339	330	11	2	172	3,5lb	45-129	301	12
ST3619	134369	360	12	2	188	3,5lb	45-129	322	13

- High-performance carbon blank from Toray
- Very good casting performance and balanced power distribution
- Robust KW / KL / KT SIC long-cast guides
- High-quality and reliable DPS reel seat
- Split handle made from durable Duplon material
- Tip section glows in the dark (Glow in the Dark)